

Version: 1.1

Released: 2015-07-10 Revision Date: 2015-07-10

1. IDENTIFICATION OF THE SUBSTANCE / APPLICATION AND THE COMPANY

Supplier: Product Name: 530 RR
Maxima Racing Oils Article Number: 91901

9266 Abraham Way

Santee, CA 92071

USA

Applications: 4T Engine Oil

+1 619 449 5000 **Emergency Telephone:** CHEMTREC +1 703 527 3887 (24 hours)

2. HAZARDS IDENTIFICATION

GHS Classification

Eye Irritation: Category 2A

GHS Pictogram

 $\langle ! \rangle$

Signal Word Warning!

Hazard Statements H319 Causes serious eye irritation.

Precautionary Statements

Prevention P264 Wash thoroughly after handling.

P280 Wear eye protection and face protection.

Response P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical attention.

Storage None Disposal None

Other Hazards None

3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	Content %	CAS Number
Synthetic Base Oils	80-100	Proprietary
Multifunctional Additive Mixture	10-20	Mixture
Zinc Alkyldithiophosphate	<5	Proprietary
Organosulfur-Phosphorus Compound	<5	Proprietary
Long chain alkyl thio carbamide metal complex	<1	Proprietary

The specific identity and/or exact percentage has been withheld as a trade secret.



Version: 1.1

Released: 2015-07-10 Revision Date: 2015-07-10

4. FIRST-AID MEASURES

Inhalation If inhaled remove to fresh air. If irritation or difficulty in breathing occurs, get

medical attention.

Skin Contact Wash skin with soap and water. Remove clothing and shoes if contaminated.

Launder clothing before reuse.

Eye Contact Flush eyes with water for several minutes. Remove contact lenses, if present

and easy to do so. If eye irritation persists, get medical attention.

Ingestion If conscious, rinse mouth with water. Do not induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention.

Most Important

Symptoms

tant Causes eye irritation. Prolonged skin contact may cause irritation. Inhalation of vapors or mists may cause respiratory irritation. Swallowing may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of Immediate medical attention is not required.

Immediate Medical Attention Needed

Notes to Physician Treat appropriately

5. FIRE FIGHTING MEASURES

Suitable Extinguishing

Media

flam

Specific Hazards
Arising From The

Chemical

Special Protective Equipment And

Precautions For Fire-

Fighters

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish

flames.

This material will burn although it is not easily ignited. Combustion will

produce carbon oxide and unidentified organic compounds.

Firefighters should wear full emergency equipment and a NIOSH approved positive pressure self-contained breathing apparatus. Cool exposed intact

containers with water

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Wear appropriate protective equipment. Wash thoroughly after handling. See

also: "Personal Protection "section 8.

Environmental Hazards Avoid release into the environment. Report spill as required by local and

federal regulations.

Methods/Materials for

Cleaning up

Dike spill and collect with an inert absorbent. Place into closable containers for disposal. Collected material is handled in accordance with section 13

"Disposal Considerations".

SAFETY DATA SHEET





530 RR

Version: 1.1

Released: 2015-07-10 Revision Date: 2015-07-10

7. HANDLING AND STORAGE

Precautions for Safe

Handling:

Avoid contact with eyes and prolonged or repeated contact with skin and clothing. Avoid breathing vapors and mists. Wash thoroughly after handling.

Remove oil-soaked clothing and launder before re-use.

Conditions for Safe

Storage

Store in a cool area away from oxidizing agents. Protect containers from

physical damage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits Synthetic Base Oils 5 mg/m3 TWA Manufacturer

Multifunctional Additive Mixture None Established Zinc alkyldithiophosphate None Established Organosulfur-Phosphorus None Established

Compound

Long chain alkyl thio carbamide 10

metal complex

10 mg/m3 TWA Manufacturer

Appropriate

Engineering Controls

Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions.. If the recommended exposure limit is exceeded increased mechanical ventilation such as local exhaust may be required.

Personal Protection

Respiratory Protection:

None needed under normal use conditions with adequate ventilation. If exposure limits are exceeded, use a NIOSH approved respirator with organic

vapor cartridges and particulate pre-filter. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with OSHA 1910.134 and good Industrial Hygiene

practice.

Eye Protection: Safety glasses or goggles recommended if splashing is possible.

Skin/Body Protection: No special protective clothing is normally required. If there is a potential

for prolonged skin contact, wear a long sleeved shirt and apron. Neoprene or nitrile rubber boots when necessary to avoid contaminating shoes.

Hand Protection: Use nitrile or neoprene gloves for prolonged or repeated skin contact. .

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid Color Amber

Odor Petroleum odor
Odor Threshold No data available
pH No data available
Freezing Point No data available
Boiling Point No data available
Flash Point 378°F / 190°C

SAFETY DATA SHEET





530 RR

Version: 1.1

Released: 2015-07-10 Revision Date: 2015-07-10

Evaporation Rate

Flammability (solid, gas)

Upper Explosion Limit
Lower Explosion Limit

Vapor Pressure

No data available
No data available
No data available

Vapor Pressure

Vapor Pressure

No data available
No data available
No data available

Vapor Density (Air=1) >1

Relative Density 0.87 @ 15.6°C

Soluble in hydrocarbons; insoluble in water

Partition Coefficient: n-

octanol/water

No data available

Auto Ignition No data available

Temperature

Decomposition No data available

Temperature

Volatile Organic <5.0% weight (Approximate)

Compounds (VOC)

Viscosity 54.6 cSt @ 40°C

10. STABILITY AND REACTIVITY

Reactivity Not expected to be reactive.

Chemical Stability Stable. **Possibility of Hazardous** None known.

Reactions

Conditions to Avoid Avoid temperatures over 120°F, open flames and sparks.

Incompatible Materials Avoid contact with strong oxidizing agents.

Hazardous Decomposition Product Thermal decomposition may produce carbon oxides and

unidentified organic compounds

11. TOXICOLOGICAL INFORMATION

Potential Health Hazards

Eye Contact: May cause mild irritation

Skin Contact: Prolonged or repeated contact may cause mild irritation or dryness. Repeated skin

contact may cause dermatitis.

Inhalation: Excessive inhalation of vapors or mists may cause upper respiratory tract irritation and central nervous system effects including headache, dizziness and nausea. Breathing high

concentrations of oil mists may cause lung damage.

Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and

diarrhea.

Chronic Effects of Overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals.



Version: 1.1

Released: 2015-07-10 Revision Date: 2015-07-10

Sensitization: None of the components have been found to cause sensitization in animals or humans.

Mutagenicity: This product is not expected to cause mutagenic activity.

Reproductive Toxicity: This product is not expected to cause reproductive or developmental effects. **Carcinogenicity:** None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA.

Acute Toxicity:

Synthetic Base Oils Oral rat LD50 >5000 mg/kg, Inhalation rat LC50 >5.2 mg/L/4 hr,

Dermal rat LD50 >2000 mg/kg,

Multifunctional Additive Oral rat LD50 >5000 mg/kg, Inhalation rat LC50 >5 mg/L/4 hr,

Mixture Dermal rabbit LD50>2000 mg/kg.,

Zinc Alkyldithiophosphate Oral rat LD50 3100 mg/kg, Inhalation rat LC50 >2.3 mg/L/4 hr (no

mortality), Dermal rat LD50 >2002 mg/kg

Organosulfur-Phosphorus

Compound

Oral rat LD50 113000 mg/kg,

Long chain alkyl thio Oral rat LD50 >5000 mg/kg, Dermal rabbit LD50 >5000 mg/kg,

carbamide metal complex Inhalation rat LC50 >50 mg/L/4 hr

12. ECOLOGICAL INFORMATION

Ecotoxicity

Synthetic Base Oils 96 hr LL50 Oncorhynchus mykiss >1000 mg/L, 48 hr EL50 daphnia

magna >1000 mg/L, 72 hr EL50 Scenedesmus capricornutum 1000

mg/l

Multifunctional Additive 96 hr LC50 fish >100 mg/L, 48 hr daphnia magna >100 mg/L, 72 hr

Mixture EC50 algae >100 mg/L

Zinc Alkyldithiophosphate 96 hr LC50 Oncorhynchus mykiss 4.5 mg/L, 48 hr EC50 daphnia

magna 23 mg/L, 72 hr EC50 Scenedesmus quadricauda 21 mg/L

Organosulfur-Phosphorus

Compound

No data available

Long chain alkyl thio carbamide 96 hr LC50 Oncorhynchus mykiss 405 mg/L, 48 hr EC50 daphnia metal complex magna 23 mg/L, 72 hr EC50 Scenedesmus quadricauda 24 mg/L

Biodegradation Synthetic base oils and multifunctional additive are inherently

biodegradable.

Bioaccumulation Synthetic base oils is not expected to bioaccumulate. Multifunctional

additive mixture has the potential to bioaccumulate.

Mobility in soilNo data availableOther adverse effects:None known.

13. DISPOSAL CONSIDERATIONS

Disposal Dispose in accordance with all local, state and federal regulations.



Version: 1.1

Page 6 of 7

Released: 2015-07-10 Revision Date: 2015-07-10

14. TRANSPORT INFORMATION

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
DOT		Not Regulated			
TDG		Not Regulated			
IMDG		Not Regulated			
IATA		Not Regulated			

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable – product

is transported only in packaged form **Special precautions:** None known.

15. REGULATORY INFORMATION

CERCLA: This product is not subject to CERCLA reporting requirements, however, oil spills are reportabl to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

EPA SARA 302: This product does not contain chemicals regulated under SARA Section 302.

EPA SARA 311 Hazard Classification: Acute Health.

EPA SARA 313: This product contains the following chemicals that are regulated under SARA Title III, section 313:

Zinc Compounds Proprietary <5%

Zinc Alkyl Dithiophosphate

California Proposition 65: This product contains the following chemicals known to the State of California to cause cancer and reproductive toxicity:

Benzene 0.17 ppb Cancer, developmental, male reproductive toxicity
Toluene 108-88-3 0.17 ppb Developmental

Ethylbenzene 100-41-4 1.5 ppb Cancer Naphthalene 91-20-3 1.5 ppb Cancer

Chemical Inventories

Toxic Substances Control Act: All of the components of this product are listed on the TSCA inventory **Canadian CEPA:** All of the components in this product are listed on the Canadian DSL.

Korea: All of the components in this product are listed on the Korean Existing Chemical Inventory (KECL).

16. OTHER INFORMATION

NFPA Rating (NFPA 704): Health: 2 Fire: 1 Instability: 0 HMIS Rating: Health: 2 Fire: 1 Physical Hazard: 0







Version: 1.1

Released: 2015-07-10 Revision Date: 2015-07-10

Date of Revision: July 10, 2015

Date of Previous Revision: August 2014

Revision History:

5/28/15: Converted to GHS format. All section revised

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.